

EXHIBIT 20

Disputed Cisco Command	HP Command Syntax	HP Manual Bates Number /
aaa accounting	[no] aaa accounting exec default start-stop radius tacacs+ none	ARISTANDCA00287991
aaa authentication login	aaa authentication login privilege-mode [no] aaa authentication snmp-server web-server enable login dot1x default <method1> [<method2> [<method3>] [<method4>] [<method5>] [<method6>] [<method7>]	ARISTANDCA00287991
aggregate-address	aggregate-address <ip-addr> <ip-mask> [as-set] [nlri multicast unicast multicast unicast] [summary-only] [suppress-map <map-name>] [advertise-map <map-name>] [attribute-map <map-name>]	ARISTANDCA00287991
area nssa	area <num> <ip-addr> nssa <cost> default-information-originate	ARISTANDCA00287991
area nssa (OSPFv3)	area <num> <ip-addr> nssa <cost> default-information-originate	ARISTANDCA00287991
area nssa no-summary	area ospf3-area-id nssa[metric-cost 0 - 16777215] [metric-type [type1 type2]] [no-summary]	HPE45955
area range	[no] area <num> <ip-addr> range <ip-addr> <ip-mask> [advertise not-advertise]	ARISTANDCA00287991
area range (OSPFv3)	[no] area <num> <ip-addr> range <ip-addr> <ip-mask> [advertise not-advertise]	ARISTANDCA00287991
area stub	area <num> <ip-addr> [stub <cost> [no-summary]]	ARISTANDCA00287991
area stub (OSPFv3)	area <num> <ip-addr> [stub <cost> [no-summary]]	ARISTANDCA00287991
banner motd	[no] banner <delimiting-character> [motd <delimiting-character>]	ARISTANDCA00287991
bgp client-to-client reflection	client-to-client-reflection	ARISTANDCA00287991
bgp cluster-id	[no] cluster-id <num> <ip-addr>	ARISTANDCA00287991
bgp redistribute internal	[no] bgp redistribute-internal	ARISTANDCA00287991
boot system	boot system bootp boot system flash primary boot system flash secondary boot system ftp	ARISTANDCA00287991
clear ip msdp sa-cache	clear ip msdp sa-cache [<source-addr> <group-addr>]	ARISTANDCA00287991
clock set	[no] clock set <hh:mm:ss> <mm-dd-yy> <mm-dd-yyyy>	ARISTANDCA00287991
clock timezone	clock timezone gmt gmt us <timezone>	ARISTANDCA00287991
default-information originate (OSPF)	[no] default-information-originate [always] [metric <value>] [metric-type <type>]	ARISTANDCA00287991
default-information originate (OSPFv3)	[no] default-information-originate [always] [metric <value>] [metric-type <type>]	ARISTANDCA00287991
default-metric (OSPF)	[no] default-metric <number>	ARISTANDCA00287991
default-metric (OSPFv3)	default-metric <value>	ARISTANDCA00287991
interface ethernet	interface ethernet <portnum>	ARISTANDCA00287991
interface loopback	interface loopback <num>	ARISTANDCA00287991
ip access-group	[no] ip access-group <num> in out	ARISTANDCA00287991
ip access-list	[no] ip access-list extended standard <string> <num> [delete <line-number> insert <line-number> replace <line-number> [remark <comment-text>]]] <options>	ARISTANDCA00287991
ip access-list standard	[no] ip access-list extended standard <string> <num> [delete <line-number> insert <line-number> replace <line-number> [remark <comment-text>]]] <options>	ARISTANDCA00287991
ip address	[no] ip address <ip-addr> <ip-mask> [ospf-ignore ospf-passive secondary]	ARISTANDCA00287991
ip community-list standard	ip community-list standard <string> [seq <seq-value>] deny permit <community-num>	ARISTANDCA00287991
ip helper-address	ip helper-address <value> <ip-addr>	ARISTANDCA00287991
ip icmp redirect	[no] ip icmp redirects	ARISTANDCA00287991
ip igmp query-interval	ip igmp query-interval <value>	ARISTANDCA00287991
ip load-sharing	ip load-sharing <num>	ARISTANDCA00287991
ip local-proxy-arp	[no] ip local-proxy-arp	HPE04995
ip multicast-routing	[no] ip multicast-routing	ARISTANDCA00287991
ip nat pool	[no] ip nat pool <pool-name> <start-ip> <end-ip> netmask <ip-mask> prefix-length <length> [type match-host rotary] [no] ip nat inside source list <acl-name-or-num> pool <pool-name> [overload]	ARISTANDCA00287991
ip nat translation tcp-timeout	[no] ip nat translation timeout udp-timeout tcp-timeout finrst-timeout dns-timeout <secs>	ARISTANDCA00287991
ip nat translation udp-timeout	[no] ip nat translation timeout udp-timeout tcp-timeout finrst-timeout dns-timeout <secs>	ARISTANDCA00287991
ip ospf authentication-key	[no] ip ospf authentication-key [0 1] <string>	ARISTANDCA00287991
ip ospf cost	ip ospf cost <num>	ARISTANDCA00287991
ip ospf dead-interval	ip ospf dead-interval <value>	ARISTANDCA00287991
ip ospf hello-interval	ip ospf hello-interval <value>	ARISTANDCA00287991
ip ospf priority	ip ospf priority <value>	ARISTANDCA00287991
ip ospf retransmit-interval	ip ospf retransmit-interval <value>	ARISTANDCA00287991
ip ospf transmit-delay	ip ospf transmit-delay <value>	ARISTANDCA00287991
ip pim dr-priority		ARISTANDCA00287991
ip prefix-list	ip prefix-list <name> [seq <seq-value>] [description <string>] deny permit <network-addr>/<mask-bits> [ge <ge-value>] [le <le-value>]	ARISTANDCA00287991
ip proxy-arp	[no] ip proxy-arp	ARISTANDCA00287991
ip radius source-interface	ip radius source-interface ethernet <portnum> loopback <num> ve <num>	ARISTANDCA00287991
ip route	ip route <dest-ip-addr> <dest-mask> <next-hop-ip-addr> ethernet <portnum> ve <num> <metric> [distance <num>]	ARISTANDCA00287991
ip routing	(config)#ip routing	HPE93160
ip tacacs source-interface	ip tacacs source-interface ethernet <portnum> loopback <num> ve <num>	ARISTANDCA00287991
ipv6 access-list	[no] ipv6 access-list <acl name>	ARISTANDCA00287991
ipv6 address	ipv6 address <ipv6-prefix>/<prefix-length> [eui-64] <ipv6-address> link-local	ARISTANDCA00287991
ipv6 prefix-list	[no] ipv6 prefix-list <name> [seq <sequence-number>] deny <ipv6-prefix>/<prefix-length> permit <ipv6-prefix>/<prefix-length> description <string> [ge <ge-value>] [le <le-value>]	ARISTANDCA00287991
ipv6 route	ipv6 route <dest-ipv6-prefix>/<prefix-length> <next-hop-ipv6-address> [<metric>] [distance <number>]	ARISTANDCA00287991
lldp run	[no] lldp run	HPE46789

maximum-paths	[no] maximum-paths <num>	ARISTANDCA00287991
neighbor ebgp-multipath	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor next-hop-self	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor remote-as	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor route-reflector-client	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor shutdown	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor timers	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
neighbor weight	[no] neighbor <ip-addr> <peer-group-name> [advertisement-interval <num>] [capability orf prefixlist [send receive]] [default-originate [route-map <map name>]] [description <string>] [distribute-list in out <num,num,...> <acl-num> in out] [ebgp-multipath [<num>]] [filter-list in out <num,num,...> <acl-num> in out weight] [maximum-prefix <num> [<threshold>] [teardown]] [next-hop-self] [nlri multicast unicast multicast unicast] [password [0 1] <string>] [prefix-list <string> in out] [remote-as <as-number>] [remove-private-as] [route-map in out <map-name>] [route-reflector-client] [send-community] [soft-reconfiguration inbound] [shutdown][timers keep-alive <num> hold-time <num>] [unsuppress-map <map-name>] [update-source <ip-addr>] [ethernet <portnum> loopback <num> ve <num>] [weight <num>]	ARISTANDCA00287991
route-map	route-map <map-name> permit deny <num>	ARISTANDCA00287991
router bgp	[no] router bgp	ARISTANDCA00287991
router ospf	router ospf	ARISTANDCA00287991
router rip	router rip	ARISTANDCA00287991
show arp	show arp [ethernet <portnum> mac-address <xxxx.xxxx.xxxx> <mask>] <ip-addr> <ip-mask> <num>	ARISTANDCA00287991
show clock	show clock [detail]	ARISTANDCA00287991
show interfaces	show interfaces [ethernet [loopback <num>] [slot <slot-num>] [ve <num>]	ARISTANDCA00287991

show ip access-lists	show ip access-list all <acl-number> begin <keyword> exclude <keyword> include <keyword>	ARISTANDCA00287991
show ip bgp	show ip bgp [route] <ip-addr>/<prefix> [longer-prefixes] <ip-addr>	ARISTANDCA00287991
show ip bgp neighbors	show ip bgp neighbors <ip-addr> [advertised-routes [detail [<ip-addr>/<mask-bits>]]] [attribute-entries [detail]] [flap-statistics] [last-packet-with-error] [received-prefix-filter] [received-routes] [routes [best] [detail [best] [not-installed-best] [unreachable]]] [rib-out-routes [<ip-addr>/<mask-bits> <ip-addr> <net-mask> detail]]] [routes-summary]]	ARISTANDCA00287991
show ip bgp peer-group	show ip bgp peer-group [<peer-group-name>]	ARISTANDCA00287991
show ip bgp summary	show ip bgp summary	ARISTANDCA00287991
show ip community-list	show ip community-list	ARISTANDCA13270722
show ip helper-address	ip helper-address <value> <ip-addr>	ARISTANDCA00287991
show ip igmp groups	show ip igmp group [<group-address> [detail] [tracking]]	ARISTANDCA00287991
show ip interface	show ip interface [ethernet <portnum>] [loopback <num>] [ve <num>]	ARISTANDCA00287991
show ip mroute	show ip mroute	ARISTANDCA00287991
show ip msdp peer	show ip msdp peer	ARISTANDCA00287991
show ip msdp sa-cache	show ip msdp sa-cache	ARISTANDCA00287991
show ip msdp summary	show ip msdp summary	ARISTANDCA00287991
show ip nat translations	show ip nat translation	ARISTANDCA00287991
show ip ospf	show ip ospf general show ip ospf area [<area-id> <num>] database link-state advertise link-state-id network nssa router router-id <ip-addr> sequence-number <num> status <index> summary]	ARISTANDCA00287991
show ip ospf border-routers	show ip ospf border-routers [<ip-addr>]	ARISTANDCA00287991
show ip ospf interface	show ip ospf interface [<ip-addr>]	ARISTANDCA00287991
show ip ospf neighbor	show ip ospf neighbor [router-id <ip-addr>] <num>	ARISTANDCA00287991
show ip pim interface	show ip pim interface [ethernet <portnum>] ve <num>]	ARISTANDCA00287991
show ip pim neighbor	show ip pim neighbor	HPE48032
show ip pim rp-hash	show ip pim rp-hash <group-addr>	ARISTANDCA00287991
show ip prefix-list	show ip prefix-lists	ARISTANDCA00287991
show ip route	show ip route [<ip-addr> [<ip-mask>] [longer] [none-bgp]] <num> bgp direct ospf rip static	ARISTANDCA00287991
show ipv6 neighbors	show ipv6 neighbor [<ipv6-prefix>/<prefix-length> <ipv6-address> ethernet <port> ve <number>]	ARISTANDCA00287991
show ipv6 route	show ipv6 route [<ipv6-address> <ipv6-prefix>/<prefix-length> bgp connect ospf rip static summary]	ARISTANDCA00287991
show lacp counters	show lacp counters	HPE46789
show lldp	#show lldp	HPE93160
show module	show module	ARISTANDCA00287991
show port-security	show port security <module> <portnum>	ARISTANDCA00287991
show radius	show radius authentication show radius [host <ip-addr>]	HPE43019
show reload	show reload	ARISTANDCA00287991
show route-map	show route-map [<map-name>]	ARISTANDCA00287991
show snmp engineID	show snmp engineid	ARISTANDCA00287991
show snmp group	show snmp group	ARISTANDCA00287991
show snmp user	show snmp user	ARISTANDCA00287991
show spanning-tree	show spanning-tree <bridgegroup#>	HPE93160
show tacacs	show tacacs	HPE43019
show users	show users	ARISTANDCA00287991
show version	show version	ARISTANDCA00287991
show vlan	show vlans [<vlan-id> ethernet <portnum>]	ARISTANDCA00287991
show vrrp	show vrrp config // show vrrp	HPE46789, HPE48032
snmp-server community	snmp-server community [0 1] <string> ro rw [view <viewname>] [<standard-acl-name>] <standard-acl-id>]	ARISTANDCA00287991
snmp-server contact	snmp-server contact <text>	ARISTANDCA00287991
snmp-server enable traps	[no] snmp-server enable traps <trap-type>	ARISTANDCA00287991
snmp-server engineID local	[no] snmp-server engineid local <hex-string>	ARISTANDCA00287991
snmp-server group	[no] snmp-server group <groupname> v1 v2 v3 auth noauth [access <standard-acl-id>] [read <viewstring>] write <viewstring>	ARISTANDCA00287991
snmp-server host	snmp-server host <ip-addr> [0 1] <string> [port <value>]	ARISTANDCA00287991
snmp-server location	snmp-server location <text>	ARISTANDCA00287991
snmp-server user	[no] snmp-server user <name> <groupname> v3 [[access <standard-acl-id>] [encrypted] [auth md5 <md5-password>] sha <sha-password>] [priv [encrypted] [des <des-password>]]]	ARISTANDCA00287991
snmp-server view	[no] snmp-server view <name> <mib_tree> included excluded	ARISTANDCA00287991
spanning-tree mode	spanning-tree mode [rstp stp]	HPE93160
tacacs-server host	tacacs-server host <ip-addr> <server-name> [auth-port <number>]	ARISTANDCA00287991
tacacs-server key	tacacs-server [key 0 1 <string>] [timeout <number>] [retransmit <number>] [dead-time <number>]	ARISTANDCA00287991
tacacs-server timeout	tacacs-server [key 0 1 <string>] [timeout <number>] [retransmit <number>] [dead-time <number>]	ARISTANDCA00287991
terminal length	terminal length <number-of-lines>	ARISTANDCA00287991
terminal monitor	terminal monitor	ARISTANDCA00287991